

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## The Wilson Bulletin

Official Organ of the Wilson Ornithological Club

An Illustrated Quarterly Magazine Devoted to the Study of Birds

Edited by Lynds Jones



Old Series, Volume XXVII

New Series, Volume XXII

Published by the Club at Chicago, Ill.
Nineteen Hundred and Fifteen

## INDEX VOL. XXVII, 1915

Acanthis linaria linaria, 331. Accipiter cooperi, 283, 311, 328, 439.  nisus, 380. velox, 283, 328. Acridotheres ginginianus, 253. tristis, 252. Actitis macularia, 238, 282, 327. Actodromas minutilla, 311. Ægialitis meloda, 327. semipalmata, 327. Agelaius phemiceus, 240, 272. phemiceus, 285, 293-302 inclu-	Archilochus alexandri, 284. colubris, 284, 329, 362, 443. Ardea cinerea, 373, 377. herodias, 237, 310. herodias, 282, 325. Ardeola grayi, 245. russata, 369. Arenaria interpres morinella, 327. Argya caudata, 257. Asio flammeus, 283, 329. wilsonianus, 283, 329. Astragalinus tristis pallidus, 240.
sive, 444.	tristis, 278,
fortis, 330. Aix sponsa, 325, 412.	285, 331, 444.
Alca torda, 347.	Astur atricapillus artricapillus,
Aluco pratincola, 283, 328.	328.
Ammodramus savannarum aus-	Asyndesmus lewisi, 284.
tralis, 313. bimaculatus,	Athene glaux, 380. meridionalis, 380.
331.	noctua, 380.
Ammomanes lusitana, 383.	Auk, Razor-billed, 347.
Ampelis cedrorum, 241.	Avocet, 232, 234, 235, 237, 238,
Amphispiza nevadensis nevadensis, 241.	326.
Anas fulvigula, 412.	Aythya americana, 310. Babblers, 256.
obscura rubripes, 310.	Jungle, 257.
platyrhynchos, 237, 282,	Striated, 257.
412, 437.	Bæolophus bicolor, 313.
rubripes, 282, 324. tristis, 313.	Baldpate, 324, 412. Barbet, Crimson-breasted, 249,
Anser albifrons gambeli, 326.	271.
Anthus pratensis, 277.	Bartramia longicauda, 278, 282,
rubescens, 313, 334.	327.
spraguei, 334.	Bee-eater, Common Indian, 249,
Anous stolidus, 277, 281. Antrostomus vociferus, 284.	271.
vociferus, 329.	Little Green, 373, 383. Bittern, 237, 282, 310, 324, 325,
Aphelocoma californica califor-	435, 437, 442, 461.
nica, 284.	Least, 324, 325, 437, 461,
siberi arizonæ, 284.	462.
woodhousei, 284. Aquila chrysaëtos, 238, 277, 283,	Blackbird, Brewer's, 222, 225, 233, 234, 240, 285, 330.
288, 328.	Red-winged, 228, 231, 240,
Arachnechthra asiatica, 256.	278, 285, 293-302 inclu-
Archibuteo ferrugineus, 242,	sive, 337, 351, 352, 366,
283, 328.	405, 431, 435, 444, 461,
lagopus sancti-johannis, 283, 328.	462. Rusty, 285, 330, 337.
<b>940.</b>	itusty, 200, 000, 001.

Thick-billed Red-wing, 324.	Cardinal, 272, 273, 285, 313, 323,
Yellow-headed, 229, 231,	332, 337, 342, 414, 445, 462,
232, 240, 277, 285, 324,	463, 466.
330, 437, 460, 462.	Kentucky, 466.
Bluebird, 224, 256, 286, 313, 320,	Cardinalis cardinalis,
335. 337. 352. 355. 375. 407.	285, 332, 445.
335, 337, 352, 355, 375, 407, 417, 437, 448, 459.	Carpodacus mexicanus fronta-
Mountain, 242.	lis, 240, 285.
Bob-white, 274, 276, 280, 282,	purpureus, 278, 331.
327, 337, 419.	Cathird, 226, 278, 286, 289, 323,
Bobolink, 240, 278, 279, 285, 323,	334. 340. 351. 352. 406. 431.
330, 351, 405, 418, 437, 438,	437, 447, 457.
443, 459.	Cathartes aura septentrionalis.
	238, 283, 328.
Bombycilla cedrorum, 277, 286,	urubu, 283.
333, 446.	Catoptrophorus semipalmatus
Bonasa umbellus togata, 282.	inornatus, 327.
umbellus, 282.	Centrocercus urophasianus, 282.
Botaurus lentiginosus, 237, 282,	Centurus aurifrons, 284.
310, 325, 437.	carolinus, 284.
Brachypternus aurantius, 256.	uropygialis, 284.
Brant, 325.	Cepphus grylle, 281.
Branta bernicla glaucogastra,	Certhis familiaris americana,
<b>3</b> 25.	278, 334.
canadensis canadensis, 282,	Ceryle alcyon, 238, 283, 329,
326.	441.
hutchinsi, 325.	guttata, 267.
Bubo ascalaphus, 374.	rudis, 267, 377.
virginianus, 375.	Chætura pelagica, 284, 329, 443.
pacificus, 283.	Chaffinch, European, 222.
pallescens, 238, 283, 329.	Charadrius dominicus domini-
subarcticus, 329.	cus, 327.
virginianus, 283, 329.	Charitonetta albeola, 326.
Budytes flava, 384.	Chamæpelia passerina terres-
Bufflehead, 326.	tris, 283.
Bulbuls, 256, 257.	Chaulelasmus streperus, 324,
Red-whiskered, 256.	412.
Bunting, Indigo, 278, 285, 309,	Chat, Black-eared, 385.
310, 323, 406, 445, 459.	Desert, 385.
Lark, 223, 241, 332.	Long-tailed, 242.
Lazuli, 285, 332.	
	White-rumped, 385.
Painted, 278.	White-rumped, 385. Yellow-breasted, 286, 334,
Painted, 278. Snow, 278, 285, 331.	White-rumped, 385. Yellow-breasted, 286, 334, 406.
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405.
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283. calurus, 238, 283, 328.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326.
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus, hyperboreus,
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326.
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387.
Painted, 278. Snow, 278, 285, 331.  Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414.
Painted, 278. Snow, 278, 285, 331.  Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286,
Painted, 278. Snow, 278, 285, 331.  Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328. Butorides virescens virescens,	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407,
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328. Butorides virescens virescens, 282, 325, 437.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447.
Painted, 278.     Snow, 278, 285, 331.  Buteo borealis borealis, 283.     calurus, 238, 283, 328.     kreideri, 328.  lineatus, 311.     lineatus, 283, 328, 441.     platypterus, 283, 311, 328.     swainsoni, 238, 283, 328.  Butorides virescens virescens, 282, 325, 437.  Calcarius lapponicus lapponi-	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447. Long-tailed, 334.
Painted, 278. Snow, 278, 285, 331.  Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328.  Butorides virescens virescens, 282, 325, 437. Calcarius lapponicus lapponicus, 331.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447. Long-tailed, 334. Mountain, 227, 242.
Painted, 278. Snow, 278, 285, 331.  Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328.  Butorides virescens virescens, 282, 325, 437. Calcarius lapponicus lapponicus, 331. ornatus, 331.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447. Long-tailed, 334. Mountain, 227, 242. Chicken, Prairie, 282, 327, 418,
Painted, 278. Snow, 278, 285, 331.  Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328.  Butorides virescens virescens, 282, 325, 437. Calcarius lapponicus lapponicus, 331. ornatus, 331. Calamospiza melanocorys, 241,	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447. Long-tailed, 334. Mountain, 227, 242. Chicken, Prairie, 282, 327, 418, 437, 439.
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328. Butorides virescens virescens, 282, 325, 437. Calcarius lapponicus lapponicus, 331. ornatus, 331. Calamospiza melanocorys, 241, 332.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447. Long-tailed, 334. Mountain, 227, 242. Chicken, Prairie, 282, 327, 418, 437, 439. Chondestes grammacus gram-
Painted, 278. Snow, 278, 285, 331.  Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328.  Butorides virescens virescens, 282, 325, 437.  Calcarius lapponicus lapponicus, 331. ornatus, 331. Calamospiza melanocorys, 241, 332. Calypte anna, 284.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447. Long-tailed, 334. Mountain, 227, 242. Chicken, Prairie, 282, 327, 418, 437, 439. Chondestes grammacus grammacus, 331.
Painted, 278. Snow, 278, 285, 331. Buteo borealis borealis, 283. calurus, 238, 283, 328. kreideri, 328. lineatus, 311. lineatus, 283, 328, 441. platypterus, 283, 311, 328. swainsoni, 238, 283, 328. Butorides virescens virescens, 282, 325, 437. Calcarius lapponicus lapponicus, 331. ornatus, 331. Calamospiza melanocorys, 241, 332.	White-rumped, 385. Yellow-breasted, 286, 334, 406. Chebec, 405. Chen cærulescens, 326. hyperboreus hyperboreus, 326. Chenalopex ægypticus, 387. Chewink, 414. Chickadee, 272, 273, 278, 286, 313, 316, 323, 337, 353, 407, 432, 447. Long-tailed, 334. Mountain, 227, 242. Chicken, Prairie, 282, 327, 418, 437, 439. Chondestes grammacus gram-

Chordeiles virginianus, 284. howelli, 239.	Crossbill, 331. White-winged, 331.
sennetti, 329.	Cryptoglaux acadica acadica,
Ciconia alba, 377. Circus hudsonius, 238, 283, 328, 439.	283, 398. Curlew, Long-billed, 234, 238, 327, 413.
pallidus, 379.	Cuckoos, 437, 459.
Cistothorus stellaris, 312, 354. Clangula clangula americana, 326.	Black-billed, 279, 283, 323, 329, 404, 405, 441. European, 279.
Coccyzus americanus, 279. americanus, 283,	Yellow-billed, 279, 283, 323, 329, 352, 405, 441.
329, 441. erythrophthalmus, 279, 283,	Cyanecula suecica, 382. Cyanocephalus cyanocephalus,
329, 441. Colaptes auratus luteus, 239, 278, 284, 329, 441.	285. Cyanocitta cristata cristata, 284, 330, 443.
cafer collaris, 239, 329. Colinus virginianus, 282.	frontalis, 284. stellata annectens, 239.
virginianus, 327.	Cyanospiza cyanea, 310.
Columba fasciata fasciata, 282.	Cypselus affinis, 251.
intermedia, 268. livia, 283.	Dafila acuta, 237, 325. Dendragapus obscurus fuligino-
Colymbus auritus, 310, 324.	sus, 282.
nigricollis californicus, 237,	obscurus, 282.
324. Coot, 237, 264, 265, 280, 282, 324,	Dendrocitta rufa, 257. Dendroica æstiva, 241.
325, 337, 389, 418, 437, 439,	æstiva, 277, 286,
461.	333, 446.
Copysychus saularis, 258. Coracias garrula, 284.	auduboni, 242. cærulescens cærulescens,
indica, 247.	333.
Corby, Indian, 252.	castanea, 333.
Cormorant, Double-crested, 324. Red-faced, 282.	coronata, 286, 333. discolor, 286.
Corvus brachyrhynchos, 240,	fusca, 307, 312, 333.
285.	magnolia, 286, 333.
brachyrhynchos, 330, 443.	palmarum hypochrysea, 286. pennsylvanica, 277, 286, 288,
corax principalis, 279, 284,	333.
330.	striata, 333.
cornix, 375.	virens, 286, 334.
cryptoleucus, 285. macrorhynchus, 252.	Dickcissel, 323, 332, 353, 418. Dicrurus ater, 247.
ossifragus, 285, 312.	cœrulescens, 247.
splendens, 251, 375.	Dolichonyx oryzivorus, 240, 278,
umbrinus, 376.	285, 330, 443. Dove, Domestic, 283.
Cotyle obsoleta, 384. Cowbird, 232, 240, 279, 285, 289,	Egyptian Turtle, 386.
323, 330, 352, 405, 417, 418,	Ground, 283.
434, 444, 446, 448, 459.	Little Brown, 268.
Crane, Sandhill, 325. Whooping, 325.	Mourning, 225, 227, 283, 351, 405, 439, 459.
Crateropus canorus, 257.	Spotted, 268.
Crow, 228, 240, 247, 252, 264,	Turtle, 376, 386.
285, 289, 290, 323, 330, 337,	Western Mourning, 238, 323,
Fish, 285, 312.	327. White-winged, 283.
Hooded, 371, 375, 376.	Dowitcher, Long-billed, 326.
Indian House, 251, 252, 375.	Drongo, Black, 247.
Jungle, 252.	White-bellied, 247.

Dryobates pubescens homorus, 239.	Northern, 239, 271, 278, 3 337, 405, 441.
medianus, 283,	Red-shafted, 227, 239, 33
329, 441.	Flycatcher, Acadian, 352. Alder, 225, 284, 303,
scalaris bairdi, 283. villosus hyloscopus, 283.	Alder, 225, 284, 303, 3 305, 330.
monticola, 239.	Arkansas, 235.
villosus, 283, 329.	Crested, 284, 305, 352,
Duck, Black, 282, 313, 324, 337.	405, 421-434 inclusive,
Florida, 412.	Hammond's, 225, 239.
Lesser Scaup, 326, 337, 412.	Least, 239, 284, 303,
Red-legged Black, 310.	323, 330, 352, 405.
Ring-necked, 326, 337.	Olive-sided, 284, 303,
Ruddy, 326, 352.	330, 459.
Scaup, 326, 337.	Scissor-tailed, 284.
Wood, 325, 412.	Vermillion, 284.
Dumetella carolinensis, 278, 286, 334, 447.	Western, 284.
Ectopistes migratorius, 283, 327.	White-spotted Fantail, 2 Wright's, 235, 239, 284.
Eagle, Bald, 283, 328.	Yellow-bellied, 302, 303,
Golden, 238, 277, 283, 288,	405.
328.	Fregata aquila, 413.
Gray Sea, 283.	Fringilla carduelis, 312.
Eider, Northern, 282.	Fulica americana, 237, 282,
Elanoides forficatus, 328.	439.
Empidonax difficilis difficilis,	Gadwall, 324, 353, 412.
284.	Galerita cristata, 383.
flaviventris, 303.	Gallinago delicata, 277, 326.
hammondi, 239.	Gallinule, Florida, 311, 325,
minimus, 239, 284, 330.	439, 461, 462. Gallinula galeata, 311, 325,
traillii, 239. alnorum, 284.	Gannet, 282, 411.
traillii, 284.	Gavia immer, 281, 324.
wrightii, 239.	Geococcyx californicus, 283.
Ereunetes pusillus, 326.	Geothlypis trichas occidents
Eudynamis honorata, 251.	242, 334.
Euphagus carolinus, 285, 330.	trichas, 281,
cyanocephalus, 240, 285, 330.	447.
Eurynorhynchus pygmæus, 278.	Godwit, Hudsonian, 327.
Falco columbarius, 311.	Marbled, 327.
columbarius, 283, 328.	Golden-eye, 326, 337.
richardsoni, 328. babalonicus, 374.	Goldfinch, 278, 285, 288, 331, 337, 342, 406, 418,
lanarius, 374.	437, 444, 459.
mexicanus, 238, 328.	Arkansas, 342.
peregrinus anatum, 283,	European, 312.
311, 328.	Western, 225.
rusticolus rusticolus, 328.	Willow, 278.
sparverius sparverius, 238,	Goose, Blue, 326.
283, 328, 441.	Canada, 282, 326.
tinnunculus, 380.	Egyptian, 387.
Falcon, Lanner, 374.	Hutchins, 325.
Prairie, 230, 237, 238, 328. Red-naped, 374.	Red-breasted, 388. Snow, 326.
Fantail, 385.	White-fronted, 326, 388.
Finch, House, 222, 223, 240, 285.	Goshawk, 328.
Purple, 278, 285, 331, 337.	Mexican, 283.
Flamingo, 282, 372.	Grackle, Boat-tailed, 285.
Flicker, 284, 313, 323, 351, 352,	Bronzed, 221, 240, 257,
418, 433, 459.	302, 323, 331, 337,
	6

352, 368, 434, 444. Great-tailed, 285.	Swainson's, 230, 234, 283, 328.
Purple, 285, 406.	Western Red-tailed, 232,
Grebe, Eared, 234, 237, 324.	283, 323.
Horned, 310, 324. Pied-billed, 281, 323, 324,	Helmitheros vermivorus, 286. Helodromas solitarius solitar-
Pied-billed, 281, 323, 324, 337, 355, 437, 461.	ius, 327.
Grosbeak, 272, 294, 335.	Heron, Black-crowned Night,
Black-headed, 332, 342, 359.	282, 310, 325, 405, 439.
Evening, 278, 285, 331, 355.	Buffed-backed, 369.
Evening, 278, 285, 331, 355. Rose-breasted, 277, 285, 296,	Common, 372, 373, 377.
302, 309, 320, 323, 332,	Great Blue, 221, 237, 282,
357-368 inclusive, 406, 445.	310, 325, 405. Green, 282, 324, 325, 405,
Grouse, Canada Ruffed, 282. Dusky, 282.	435. 437. 461.
Columbian Sharp-tailed,	435, 437, 461. Night, 377, 418.
282.	Hesperiphona vespertina vespertina, 278, 285, 331.
Prairie Sharp-tailed, 282,	
327.	Hirundo erythrogastra, 241,
Ruffed, 274, 282, 337, 419. Sage, 227, 236, 282.	286, 333, 446.
Sooty, 282.	rustica, 267, 384. savignii, 384.
Grus americana, 325.	Honeysucker, Purple, 256.
mexicana, 325.	Hoopoe, 378, 383.
Guara alba, 282.	Indian, 255, 256, 260, 271.
Guillemots, 347.	Hoplopterus spinosus, 386.
Black, 281.	Hummingbird, 276.
Gull, Black-headed, 372. Franklin's, 281, 323, 324.	Anna's, 284.
Herring, 281, 324, 337.	Black-chinned, 284. Broad-tailed, 225, 237.
Ring-billed, 228, 237, 324.	Costa's, 284.
Gyps fulvus, 376.	Ruby-throated, 284, 329, 352,
tenuirostris, 269.	362, 405
Haliæetus albicilla, 283.	Rufous, 284, 342.
leucocephalus, 283.	Hydrochelidon nigra surina-
leucocephalus, 328. Haliaster indus, 251.	mensis, 237, 281, 324, 437. Hylocichla aliciæ aliciæ, 335.
Halcyon smyrnensis, 267.	fuscescens salicicola, 335.
Harrier, Pale-crested, 379.	guttata palasii, 286, 335.
Hawk, Broad-winged, 283, 311,	guttata palasii, 286, 335. mustelina, 286, 335, 447.
328, 405.	ustulata swainsoni, 286, 335.
Cooper's, 238, 274, 283, 311,	ustulata, 286.
328, 405, 439.	Ibis, Glossy, 282. White, 282.
Duck, 283, 311, 328. Ferruginous Rough-legged,	Icteria virens longicauda, 242.
236, 283, 328.	virens, 286, 334.
Kreider's. 328.	Icterus bullocki, 240, 285, 330.
Marsh, 238, 283, 320, 323,	cucullatus nelsoni, 285.
328, 337, 405, 435, 439.	glabula, 285, 330, 444. spurius, 285, 330.
Red-shouldered, 283, 311, 328, 405, 441.	Ictinia mississippiensis, 407,
Red-tailed, 235, 253, 274,	408.
283.	Iridoprocne bicolor, 241, 286,
Richardson's Pigeon, 328.	333, 446.
Rough-legged, 283, 328, 337.	Ixobrychus exilis, 325, 437.
Sharp-shinned, 283, 328. Sparrow, 225, 227, 238, 271,	Jay, Arizona, 284. Birch, 248.
283, 323, 328, 337, 351,	Black-headed, 235, 239.
380, 405, 435, 441, 465.	Blue, 248, 272, 273, 284, 313,
	7

323, 330, 337, 405, 437,	Horned, 234.
443, 459.	Prairie Horned, 330, 337,
Blue-fronted, 284.	383.
California, 284.	Lagopus lagopus lagopus, 282.
Canada, 284.	Larus argentatus, 281, 324, 347.
Indian Blue, 248.	delawarensis, 237, 324.
Pinon, 285.	franklini, 281, 324.
Rocky Mountain, 236, 239.	fuscus, 347.
Steller's, 284.	ridibundus, 347, 372.
Woodhouse's, 284.	Limosa fedoa, 327.
Junco hyemalis, 285.	hæmastica, 327.
hyemalis, 332.	Lobipes lobatus, 326, 465.
phœnotus caniceps, 241.	Longspur, Chestnut-collared, 331.
Junco, 337, 417.	
Crew bonded 925 941	Lapland, 331, 418.
Gray-headed, 235, 241. Slate-colored, 285, 332, 337.	McCown's, 223, 234, 240.
	Lophodytes cucullatus, 324.
Kestrel, 380, 389.	Lophortyx californica califor-
Killdeer, 224, 232, 235, 238, 277, 324, 327, 337, 350, 352, 405,	nica, 282.
	gambeli, 282.
437.	vallicola, 282.
Kingfisher, 228, 271, 280, 324,	Loon, 281, 324.
435.	Loxia leucoptera, 331.
Belted, 238, 283, 329, 352,	Magpie, 231, 236, 239, 284.
405, 441.	Robin, 258, 271.
Black and White, 337.	Machlolophus haplonotus, 264.
Large-crested Black and	Macrorhamphus griseus scolop-
White, 267.	aceus, 326.
Pied, 267, 377.	Mallard, 228, 237, 282, 324, 337,
White-breasted, 267.	412, 437, 461.
Kingbird, 239, 247, 284, 305, 323,	Man-o'-War-Bird, 413.
329, 405, 433, 443, 461.	Mareca americana, 324, 412.
Arkansas, 225, 239, 284, 329.	Marila affinis, 326, 412.
Cassin's, 284.	americana, 325.
Kinglet, Golden-crowned, 302,	collaris, 326.
305, 306, 307, 334.	marila, 326.
Ruby-crowned, 236, 242, 305,	vallisneria, 325.
307, 334.	Martin, Purple, 241, 277, 285,
Kite, 374.	312, 323, 332, 406, 445.
Brahminy, 251.	Meadowlark, 223, 230, 277, 285,
Common Pariah, 251, 252,	337, 351, 352, 405, 417, 418,
253.	437, 444, 459.
Mississippi, 407.	Western, 221, 223, 240, 285,
Parasitic, 371, 375, 376.	323, 330.
Swallow-tailed, 328.	Megaquiscalus major macrou-
Koel, Indian, 251.	rus, 285.
Lanius, borealis, 333.	major, 285.
cristatus, 251.	Melanerpes erythrocephalus,
lahtora, 264, 386.	239, 284, 329, 441.
ludovicianus excubibtorides,	Meleagris gallopavo silvestris,
333.	282, 329.
ludovicianus, 286.	Melitæa minuta, 236.
migrans, 281, 286, 312.	Melopelia asiatica, 283.
nubicus, 386.	Melospiza georgiana, 285, 332,
Lanivireo solitarius solitarius,	445.
286, 333.	lincolni lincolni, 332.
Lapwing, Red-wattled, 264.	melodia juddi. 332.
Lark, Crested, 382, 383, 384.	melodia, 285, 415, 445.
Desert, 383.	melodia, 285, 415, 445. Merganser, 282, 324.
Desert Horned, 223, 239,	Hooded, 324, 337.
330.	Red-breasted, 282, 324, 337.
	8
	•

Mergus americanus, 282, 324.	philadelphia, 334.
serrator, 282, 324.	tolmiei, 242.
Merops viridis, 249, 373.	Oreospiza chlorura, 241.
Micropalama himantopus, 326.	Oriole, Arizona Hooded, 285.
Micropallas whitneyi, 283.	Baltimore, 285, 323, 330,
Milvulus ægyptus, 375.	351, 368, 405, 444, 459.
govinda, 251. 375.	Bullock's, 225, 240, 285, 330.
Mimus polyglottos, 278.	Orchard, 285, 323, 330, 352,
polyglottos, 286, 334.	405.
Mniotilta varia, 333.	Oroscoptes montanus, 242.
Mockingbird, 286, 334, 353.	Orthotomus sutorius, 257.
Molothrus ater, 240.	Ortogyps calvus, 269.
ater, 285, 330,	Osprey, 283, 312, 328, 373.
444.	Otocoris alpestris leucolæma, 239,
Motacilla alba, 258, 383.	330.
maderaspatensis, 259.	Otus asio asio, 283, 329, 441.
Muscivora forficata, 284	maxwelliæ, 238.
Myadestes townsendii, 242, 335.	Oven-bird, 286, 323, 334, 406,
Myiarchus cinerascens cineras-	447.
cens, 284.	Owl, Acadian, 400.
crinitus, 284, 421-434 inclu-	Arctic Horned, 329.
sive, 443.	Barn, 283, 328, 398, 416.
Myiochanes richardsoni rich-	Barred, 329, 397, 398, 399,
ardsoni, 239.	401, 402, 405.
virens, 284, 330, 443.	Burrowing, 222, 225, 238,
Myna, Bank, 253, 271.	283, 329, 400.
Black-headed, 253.	Eagle, 374.
Brahminy, 253, 271.	Egyptian Eagle, 374.
Common, 251, 252, 253, 257,	Elf, 283.
271.	Great Horned, 227, 283, 329,
Grey-headed, 254.	337, 396, 397, 403.
Nighthawk, 284, 353, 459.	Little, 380.
Sennet's, 323, 329.	Long-eared, 283, 329.
Western, 235.	Pacific Horned, 283.
Neophron ginginianus, 268.	Rocky-Mountain Screech,
percnopterus, 375.	235, 238.
Nettion carolinensis, 237, 310,	Saw-whet, 283, 395, 398.
325.	Screech, 271, 274, 283, 323,
Noddy, 280, 281.	329, 337, 398, 402, 403,
Nucifraga columbiana, 240, 285.	404, 405, 441, 465.
Numenius americanus, 327, 413.	Short-eared. 283, 329.
longirostris, 238.	Snowy, 329, 400.
Nutcracker, Clark's, 236, 240,	Southern Little, 380.
285.	Western Horned, 238, 283,
Nuthatch, 272, 274, 277.	329.
Red-breasted, 227, 242, 274,	Oxyechus vociferus, 238, 277,
286, 312, 313-315 inclu-	327.
sive, 334, 337. 407.	Oystercatcher, 282.
White-breasted, 313, 323,	Paddy-birds, 254.
334, 337, 407.	
Nuttalornis borealis, 284, 330.	Palæornis torquatus, 259. Pandion haliaëtus, 373.
Nyctea nyctea, 329.	carolinensis, 283,
Nyctea nyctea, 529. Nycticorax griseus, 377.	313, 328.
nycticorax griseus, 377.	Parrakeet, Rose-rumped, 259.
325.	Parus atriceps, 264.
U4U.	gambeli, 242.
Occapitos occapions 411	
Oceanites oceanicus, 411.	Passer demosticus 249 285 287
Oidemia nigra, 347.	Passer domesticus, 249, 285, 287,
Oidemia nigra, 347. Olor columbianus, 325.	312, 318, 381, 390.
Oidemia nigra, 347.	

indicus, 381.	330, 337, 352, 405, 443.
niloticus, 381.	Say's, 235, 239, 284, 330.
hispaniolensis, 381.	Phaëthon americanus, 282.
Passerculus sandwichensis alau-	Pica pica hudsonia, 239, 284.
dinus, 240.	Picoides americana americana, 284.
savanna, 285, 331.	Pigeon, Band-tailed, 282.
Passerella iliaca iliaca, 332. schistacea, 285.	Blue Rock, 268.
Passerherbulus lecontei, 331.	Passenger, 283, 327.
nelsoni nelsoni, 331.	Pintail, 232, 233, 237, 324, 325,
Passerina amæna, 285, 332.	337, 388.
ciris, 278.	Pipilo erythrophthalmus ery-
cyanea, 278, 285, 332, 445.	throphthalmus, 285, 332, 445.
Pediœcetes phasianellus cam-	maculatus arcticus, 241, 332. Pipit, 313, 334.
pestris, 282, 327.	Sprague's, 334.
columbianus,	Piranga erythromelas, 278, 332,
282. Pelecanus erythrorhynchos, 282,	445.
324.	ludovicianus, 241.
occidentalis, 282.	Pisobia bairdii, 326.
Pelican, Brown, 282.	fuscicollis, 326.
White, 282, 290, 291, 324,	maculata, 326.
372.	minutilla, 326. Planesticus migratorius migra-
Pelidna alpina sakhalina, 277,	torius, 286, 335, 448.
326.	propinguus, 242.
Penthestes atricapillus atrica-	Plectrophenax nivalis nivalis,
pillus, 278, 286, 447. septentrionalis.	278, 285, 331.
334.	Plegadis autumnalis, 282.
Perisoreus canadensis, 284.	Plover, Black-bellied, 327.
capitalis, 239.	Black-headed, 386, 387. Golden, 327, 353,
Petrochelidon lunifrons luni-	Mountain, 227, 238.
frons, 241, 286, 333.	Piping, 327.
Petrel, Leach's, 281.	Ringed, 371, 386.
Wilson's, 411.	Semipalmated, 327.
Peucæa æstivalis bachmani, 414.	Spur-winged, 386, 387.
Pewee, Western Wood, 239.	Upland, 278, 327.
Wood, 284, 303, 304, 305, 323, 330, 352, 405, 435,	Pluvianus ægyptius, 386.
443, 459.	Podasocys montanus, 238. Podilymbus podiceps, 281, 324,
Phainopepla, 286.	437.
Phainopepla nitens, 286.	Poœcetes gramineus, 309.
Phalacrocorax auritus auritus,	confinis, 240, 331.
324.	gramineus, 285,
urile, 282.	444.
Phalænoptilus nuttallii, 239. Phalarope, Northern, 326, 465.	Porrana earolina 227 282 211
Wilson's, 228, 230, 231, 232,	Porzana carolina, 237, 282, 311, 325.
237, 238, 326.	Progne subis, 241, 277, 312.
Phasianus colchicus, 282, 312.	subis, 285, 332, 445.
Pheasant, English, 282.	Protonotaris citrea, 277, 286.
Mongolian, 459.	Pseudogyps bengalensis, 267.
Ring-necked, 312. Philohela minor, 277, 282, 326.	Ptarmigan, White-tailed, 235.
437.	Willow, 282. Pyrocephalus rubinus mexica-
Phœnicopterus ruber, 282.	nus, 284.
Phlæotomus pileatus pileatus,	Querquedula cyanoptera, 237,
284.	325.
Phœbe, 249, 250, 278, 284, 305,	discors, 237, 310, 325, 412.
10	

leucophygia, 385. Quiscalus quiscalus æneus, 240, 285, 331, 444. Sayornis phœbe, 278, 284, 330, quiscula, 285. 443. Rail, 435. sayus, 239, 284, 330. King, 325, 439, 440, 461. Scarcogrammus indicus, 264. Virginia, 325, 335, 404, 405, Scoter, 347. Seiurus aurocapillus, 286, 334, 439. Rallus elegans, 325, 439. 447. noveboracensis virginianus, 325, 439. notabilis. Raven, Brown-necked, 376. Selasphorus platycercus, 239. Northern, 279, 284, 330. White-necked, 284. rufus, 284. Setophaga ruticilla, 277, 286, Recurvirostra americana, 238. 334, 447. 326. Shags, 264. Redhead, 310, 325, 337, 418. Shoveller, 232, 233, 237, 324, 325, Redpoll, 331. Red-tail, Western, 238, 328. 377. Red-wing, 367, 417. Shrike, 248. Thick-billed, 330. Indian Brown, 251. Indian Grey, 264. Loggerhead, 286. Redstart, 286, 334, 406, 435, 446, 447. Masked, 386. Indian, 256, 258. Rhipidura pectoralis, 264. Migrant, 286, 443. Northern, 333. Northern Loggerhead, 312. Regulus calendula, 242, 334. satrapa satrapa, 305, 334. Pallid, 386. Rhynchophanes macownii, 240. Riparia riparia, 241, 333, 446. White-rumped, 323, 333. Road-runner, 283. Robin, 253, 286, 323, 335, 337, 351, 352, 355, 407, 417, 418, Sialia corrucoides, 242. sialis sialis, 286, 335, 448. Siskin, Pine, 240, 288, 312, 331. Sitta canadensis, 242, 277, 286, 437, 448, 455, 459. Brown-backed Indian, 312, 334. carolinensis, 258, 271. carolinensis, Western, 227, 242. 334. Snipe, Wilson's, 277, 326. Roller, European, 248, 271, Indian, 247, 248. Solitaire, Townsend's, 227, 242, 227. Rough-leg, Ferruginous, Somateria mollissima borealis, Ruticilla rufiventris, 258. 282. Sora, 237, 282, 311, 324, 325, 461. Salpinctes obsoletus obsoletus, Sparrow, Bachman's, 414, 418, 242. Sandpiper, Baird's, 326. 460.Bartramian, 282. Brewer's, 226, 241. Chipping, 278, 285, 305, 316, Buff-breasted, 327. Green, 371, 386. 323, 332, 351, 353, 406, Least, 311, 326, 405. 444. Clay-colored, 224, 241, 332. English, 222, 240, 248, 253, Pectoral, 326. Red-backed, 277, 326. Semipalmated, 326. 272, 312, 342, 353, 418, 444, 446, 447, 463. European House, 278, 285. Spoon-billed, 278. Solitary, 327, 405. Spotted, 278, 280, 282, 327, Field, 285, 337, 406, 414, 437, 352, 405. Stilt, 326. 445, 459. Fox, 332, 352. White-rumped, 326. Grasshopper, 313, 406. Sapsucker, Red-breasted, 284. Harris', 331. Red-naped, 239, 284. Henslow's, 203, 331. 352, Yellow-bellied, 329. 406. Saxicola amphileuca, 385. House, 258, 267, 375, 382, aurita, 385. 406.

Lark, 323, 331, 418.	Sturnia malabarica, 254.
Leconte's, 331.	Sturnella magna, 277.
Lincoln's, 332, 352, 406.	magna, 285, 418,
Mountain Song, 241.	444.
Nelson's, 331.	neglecta, 240, 285, 330.
Sabuta Song, 332.	Sturnus menzbieri, 258.
Sage, 226, 235, 241.	vulgaris 285 289 313
Savanna, 285, 331.	vulgaris, 285, 289, 313. Sula bassana, 282, 411.
Slate-colored Fox, 285.	
	Sun-bird, Purple, 256.
Song, 272, 285, 332, 337, 352,	Swallow, Bank, 225, 241, 333,
406, 414, 415, 417, 437,	435, 446.
445, 459.	Barn, 241, 285, 406, 446.
Spanish, 381.	Cliff, 224, 235, 241, 285, 333,
Swamp, 285, 305, 332, 352,	406, 446.
406, 435, 445.	European, 267, 384.
Tree, 272, 337, 417.	Northern Violet-Green, 241.
Vesper, 285, 309, 337, 353,	Pale Crag, 384.
406, 437, 444.	Red-rumped, 267.
Western Chipping, 224, 241.	Rough-winged, 333, 352, 406.
Western Field, 332.	Tree, 241, 285, 353, 406, 446.
Western Grasshopper, 323,	Violet-Green, 224.
321.	
	Wire-tailed, 267.
Western Lark, 240, 285.	Swan, Whistling, 325.
Western Savanna, 234, 240.	Wooping, 282.
Western Vesper, 226, 240,	Swift, Chimney, 251, 281, 323,
331.	329, 351, 405, 413, 418, 443,
White-crowned, 224, 240,	459.
331, 406.	Common Indian, 251.
White-throated, 224, 241,	Tachycineta thalassina lepida,
285, 305, 331, 404, 406.	241.
Spatula clypeata, 237, 325.	Tailor-bird, Indian, 256, 257.
Speotyto cunicularia hypogæa,	Tanager, Scarlet, 278, 323, 332,
238, 283, 329.	496, 445.
Sphyrapicus ruber ruber, 284.	Western, 235, 241.
varius nuchalis, 239, 284,	Teal, 229, 377.
varius, 329.	Blue-winged, 232, 237, 310,
Spinus pinus, 240, 288, 312, 331.	324, 325, 412.
Spiza americana, 332.	Cinnamon, 233, 237, 325.
Spizella breweri, 241.	Characteristics 257, 525.
	Green-winged, 237, 310, 325,
pallida, 241, 332.	337.
monticola ocracea, 331.	Telmatodytes palustris iliacus,
passerina passerina, 278,	334, 419.
285, 332, 444.	palustris, 286,
pusilla arenacea, 332.	447.
pusilla, 285, 445.	Temenuchus pagodarum, 253.
Squatarola squatarola, 327.	Tern, Black, 233, 237, 281, 323,
Starling, 253, 285, 289, 290, 313,	324, 437, 461, 462.
405.	Common, 281.
Common Indian, 256, 258,	Forster's, 324.
271.	Least, 324.
Steganopus tricolor, 238, 326.	Roseate, 281.
Stelgidopteryx serripennis, 333.	Sooty, 281.
Sterna antillarum, 324.	Thamnobia campaiensis, 258.
dougalli, 281.	
forsteri, 324.	Thrasher, Brown, 286, 298, 302, 323, 334, 351, 353, 406, 437,
fuscata, 281.	447, 459.
hirundo, 281.	Curve-billed, 286.
Stork, 254, 377.	Sage, 226, 235, 237, 242.
White, 377.	Thrush, European, 416.
Strix varia varia, 329, 398.	
NOTE THE THE THE THE THE THE THE	Gray-cheeked, 335, 407.

Hermit, 286, 335, 353, 455.	gilvus, 241.
Olive-backed, 286, 305, 335,	griseus griseus, 316.
407, 448-455 inclusive.	Vireo, Bell's, 333.
Russet-backed, 286.	Blue-headed, 286, 333, 406.
Willow 335 459	Philadelphia, 333, 352.
Wood, 286, 323, 335, 407,	Red-eyed, 286, 333, 342, 406,
416, 447, 448.	435, 446, 459.
Tit, Grey, 271.	Warbling, 227, 241, 323, 333,
Southern Yellow, 264, 271.	351, 406, 418, 446.
Tufted, 407.	White-eyed, 316-321 inclu-
Titmice, 272.	sive, 406.
Titmouse, Indian Grey, 264.	Yellow-throated, 406.
Tufted, 272, 273, 337.	Vireosylva gilva gilva, 333, 446.
Totanus flavipes, 238, 327.	olivacea, 286, 333, 446.
melanoleucus, 238.	philadelphia, 277, 333.
ocropus, 386.	Vulture, Black, 269, 283, 376.
Tohee, 285, 323, 332, 352, 406,	Egyptian, 375, 376.
435, 444, 445.	Griffon, 376.
Arctic, 235, 332.	Long-billed, 269, 270.
California, 342.	Turkey, 227, 238, 283, 328.
Green-tailed, 227, 241.	White-backed, 269, 270.
Toxostoma curvirostra curviros-	White Scavenger, 268, 270.
tra, 286.	Vultus monarchus, 376.
rufum, 286, 334, 447.	Wagtail, Grey, 258.
Tree-pie, 256.	Grey-headed Yellow, 383.
Indian, 257.	384.
Troglodytes aëdon aëdon, 286,	White, 258, 374, 376, 382,
447.	383.
parkmani, 334.	Warbler, Audubon's, 227, 235,
Tropic-bird, Yellow-billed, 282.	236, 242.
Thryomanes bewicki, 286.	Bay-breasted, 333, 353, 406.
Thryothorus ludovicianus ludo-	Black and White, 333, 406.
vicianus, 286.	Blackburnian, 302, 305, 307,
miamensis, 278,	308, 312, 333, 352, 406.
286.	Black-headed, 385.
Tryngites subruficollis, 327.	Black-poll, 333, 406.
Turdus musicus, 416.	Black-throated Blue, 333,
Turkey, Wild, 282, 327.	406.
Turnstone, Ruddy, 327.	Black-throated Green, 286,
Turtur cambayensis, 268.	334, 406.
senegalensis, 386.	Blue-throated, 382, 385, 389.
suratensis, 268.	Blue-winged, 286, 406.
Tympanuchus americanus amer-	Canada, 353, 406.
icanus, 282, 327, 439.	Cape May, 352, 406.
Tyrannus tyrannus, 239, 284,	Chestnut-sided, 277, 286,
329, 443.	288, 333, 353, 406.
verticalis. 239. 284. 329.	Chiff-chaff, 385.
vociferus, 284.	Fantail, 385.
Urubitinga anthracina, 283.	Golden-winged, 286.
Uria troile, 347.	Kentucky, 348.
indica, 255.	Macgillivray's, 242.
Upupa epopa, 378.	Magnolia, 286, 304, 308, 333,
Veery, 407.	406.
Vermivora celata celata, 333.	Mourning, 334, 353.
chrysoptera, 286.	Myrtle, 286, 304, 308, 333, 404, 406.
peregrina, 333.	
pinus, 286.	Nashville, 286, 304, 352, 406.
rubricapilla rubricapilla,	Northern Parula, 352, 406.
286.	Orange-crowned, 333, 352.
Vireo belli belli, 333.	Palm, 334.

Prairie, 286, 353. Prothonotary, 277, 286, 349. Tennessee, 333, 406. Wilson's, 309, 310, 334, 406. 353. Worm-eating, 286, 406. Yellow, 241, 277, 286, 309, 323, 333, 406, 435, 446. Yellow Palm, 286. Yellow-throated, 304. Water-Thrush, 306, 352. Grinnell's, 334. 447, 461. Louisiana, 406. Northern, 406. Short-billed Waxwing, Bohemian, 333. Cedar, 241, 277, 285, 333, 406, 436, 437, 446, 459. Whippoorwill, 284, 329, 404, 405. 334. Xanthocephalus Willet, Western, 327. Wilsonia pusilla pusilla, 310. 334. Xantholæma Woodcock, 229, 277, 282, 353, 404, 405, 439, 459. 249.Woodpecker, 272, 437. Bachelder's, 225, 239. Cabanis', 283. Downy, 272, 273, 283, 313, 323, 329, 337, 405, 432, 405. Yellow-throat. 433, 441. Gila, 284. Golden-backed, 256. Golden-fronted, 284. Hairy, 273, 283, 313, 323, 329, 337, 405. Lewis', 284. sis, 283, 439. Pileated, 284. Red-bellied, 273, 284, 313, 337. 331. Red-headed, 221, 239, 284, 405. 323, 329, 351, 352, leucophrys, 331. 433, 459. Rocky Mountain Hairy, 239. Texas, 283. querula, 331.

Three-toed, 284. White-headed, 283. Wren, Bewick's, 286, 349, 350, Carolina, 286, 353, 414. Florida, 278, 286. House, 271, 286, 306, 313, 349, 351, 352, 436, 437, 447. 455-458 inclusive. Long-billed Marsh, 286, 435, Prairie Marsh, 334, 419. Rock, 227, 242. Marsh. 312, Western House, 323, 334. Winter, 306, 312, 334. xanthocephalus, 240, 277, 285, 330, 444. hæmatocephala, Xenopicus albolarvatus, 283. Yellow-legs, 238, 327, 353. Greater, 224, 238, 327, 404, ellow-throat, Maryland, 351, 389, 406, 435, 447. 286, Western, 242, 334. Zamelodia ludoviciana, 277, 285, 309, 332, 358, 359, 445. melanocephala, 332, 359. Zenaidura macroura carolinenmarginella, 238, 327. Zonotrichia albicollis, 241, 285, leucophrys, 240. gambeli, 331.